

GOVERNMENT OF TELANGANA  
ABSTRACT

RD - MGNREGS - Telangana and Other developmental schemes – Revision of Rural Standard Schedule of Rates (RSSR 2015-16) – Orders – Issued.

---

PANCHAYAT RAJ & RURAL DEVELOPMENT (RD) DEPARTMENT

G.O.MS.No. 39

Dated:21-04-2015  
Read the following:

1. G.O.Ms.No.3, PR & RD (RD-I) Dept., Dated: 23-07-2014 read with G.O.Ms No.35, PR&RD (RD) Dept, Dated:39-03-2015.
2. Notification of Ministry of Rural Development, Govt. of India, Dated:31-03-2015 (F.No.J-11011/1/2009-MGNREGA(Pt.III)).

&&&

ORDER :

Government of India vide reference Second read above has notified the wage rate for unskilled manual work taken up under MGNREGS as Rs.180/-.

2. Para.17 of MGNREG Act states that when wages are directly linked with the quantity of work, the wages shall be paid according to the schedule of rates fixed by the State Government for different types of work every year.

3. In order to ensure the revised wage rate to the unskilled wage seekers the task rates issued in the reference first read above are superceded and the Government orders for revision of the tasks rates (RSSR 2015-16) as annexed to the orders. The increased rates shall come into force on the 1<sup>st</sup> day of April 2015.

4. The RSSR 2015-16 is prepared in comprehensive with different categories of works taken up under MGNREGS.

5. The copy of the G.O. is available on website [www.goir.telangana.gov.in](http://www.goir.telangana.gov.in).

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

**J. RAYMOND PETER**  
PRINCIPAL SECRETARY TO GOVERNMENT

**To**

The Director, Rural Development, Telangana, Hyderabad.

The Director, Panchayat Raj, Telangana, Hyderabad.

All the District Collectors and District Programme Coordinators,  
NREGS (through Director, RD).

All the Project Directors, DWMA & Addl. District Programme Coordinators,  
NREGS (through Director, RD).

All the Project Directors, DRDAs and Additional District Programme  
Coordinators, NREGS (through Director, RD).

All the Chief Executive Officers, ZPs and Additional District Programme  
Coordinators, NREGS (through Director, RD).

The Project Officer, ITDA and Additional District Programme Coordinators  
of Eturu Nagaram (Warangal), Bhadrachalam (Khammam), Utnoor (Adilabad)  
(through Director, RD).

**Copy to:**

The PS to Prl. Secretary, Finance (W&P) Dept., Hyderabad.

The PS to Prl. Secretary, PR&RD Dept., Hyderabad.

(P.T.O)

-:2:-

The PS to Prl. Secretary, I&CAD Dept., Hyderabad.  
The PS to Prl. Secretary, Tribal Welfare Dept., Hyderabad.  
The PS to Prl. Secretary, TR&B Dept., Hyderabad.  
The PS to Prl. Secretary, EFS & T Dept., Hyderabad.  
The PS to Prl. Chief Conservator of Forests, Hyderabad  
The Commissioner Disaster Management and EO Secy. to Govt.,  
The Commissioner, APARD, Rajendranagar, Hyderabad.  
The Commissioner, Tribal Welfare, Hyderabad.  
The Engineer-in-Chief, Panchayat Raj Dept.  
The Engineer-in-Chief, Irrigation Dept.  
The Chief Engineer, Tribal Welfare.  
The Special Officers of NREGS – Telangana Districts (through Director, RD).  
The Superintending Engineers of Panchayat Raj all 9 Districts of  
Telangana (through Director, RD).  
PR&RD (Genl) Dept., (2 copies)  
SF/SC.

//FORWARDED::BY ORDER//

**SECTION OFFICER**

**ANNEXURE to G.O. Ms.No.39 , PR&RD (RD) Department, Dated:21/04/2015**

Sl. No.	Category No.	Item of Work	Rates approved in RSSR (2014-15) (G.O.Ms.No.3 PR&RD (RD-I)Dept., dated 23.07.2014) ( in Rs.)	Rates now approved to ensure mini. Wage of Rs.180/- (in Rs.)	Remarks
1		<b>Unskilled Labour</b>	169.00/- per day	180.00/-per day	-
2	<b>Bush clearance</b>				
	a	Light shrub	4.19/-Sqm	4.46/-Sqm	-
	b	Medium and Dense Shrub /Besharam/ Rubber plants	5.30/-Sqm	5.64/-Sqm	-
	c	Thin stemmed Juliflora (stem with periphery upto 150 cms)/ thick shrub	10.53/-Sqm	11.21/-Sqm	Thick shrub is relevant in tribal areas only
	d	Thick stemmed Juliflora (stem with periphery more than 150 cms)	15.78/-Sqm	16.80/-Sqm	-
3	<b>Removal of stumps</b>				
	a	Removal of stumps of girth 30cms to 99cms(small stumps)	109.82/- per each	116.96/- per each	-
	b	Removal of stumps of girth 100cms to 199cms(medium stumps)	137.30/-per each	146.22/-per each	-
	c	Removal of stumps of girth 200cms to 299 cms(large stumps)	178.47/-per each	190.07/- per each	-
	d	Removal of stumps of girth 300cms to 399 cms(large stumps)	233.40/- per each	248.57/- per each	-
	e	Removal of stumps of girth 400cms to 499 cms(large stumps)	302.06/- per each	321.69/- per each	-
	f	Removal of stumps of girth 500cms to 599 cms(large stumps)	370.69/- per each	394.78/- per each	-
4		Removal of water hycinth up to 30cms thick	5.22/-Sqm	5.56/-Sqm	-
5		Removal of water hycinth of more than 30cms thick	7.13/-Sqm	7.59/- Sqm	-

<b>6</b>	<b>Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in loamy and clayey soils like black cotton soils, red earth and chowdu soils</b>				
	<b>Category-I</b>				
	a	Contour bunding/Earthen bunding	73.90/- Cum	78.70/- Cum	-
		Breaking of clods, tamping & sectioning for earthen bunding	25.32/- Cum	26.97/- Cum	
	b	Terracing in Hill / slope areas	99.25/- Cum	105.70/- Cum	
	c	Land levelling			
	d	Conservative furrows			
	<b>Category-II</b>				
	a	Mini Percolation Tank/Percolation tank	99.25/- Cum	105.70/- Cum	-
	b	Recharge of dried up open well			
	c	Desilting and Deepening of existing check dams/percolation tanks			
	d	Rockfill dams, Gully control works, Loose boulder structure			
	e	Check Dam/Check wall			
	<b>Category-III</b>				
	a	Boundry Trench	137.12/-Cum	146.03/- Cum	-
	b	Trench - Cum -Bund			
	c	Silo pits			
	d	Compost pit			
	e	Cattle Proof Trenches			
	f	Periphery trench in MI tank			
	<b>Category IV</b>				
	a	Desilting of Open Well	99.25/- Cum	105.70/-Cum	-
	b	Desilting of Drinking Water Tanks/Cattle ponds			
	c	Earth work excavation of silt in tank beds (Silt application)			
	<b>Category V</b>				
	a	Formation of approach roads	99.25/- Cum	105.70/- Cum	-
	b	MI tanks			
c	Flood Bund				

	d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies				
	e	New Feeder/Field Channel				
	f	Construction of drains				
	g	Closure of abandoned open wells				
	<b>Category-VI</b>					
	a	Staggered trenches, Continuous Contour trenches	169.00/- Cum	179.99/- Cum	-	
	b	Farm Pond/Dugout pond/Sunken pit				
	c	Water Absorption trench at foot hills				
	d	Digging of new open well				
	<b>Category-VII</b>					
	<b>Plantation pits</b>					
	a	0.9 mtsX0.9 mtsX0.9 mts size pit	143.63/- Cum	152.97/-Cum	-	
	b	0.6 mts X 0.6 mtsX 0.6 mts size of pit				
	c	0.45 mts X 0.45 mtsX 0.45 mts size of pit				
	d	0.3 mts X 0.3 mtsX 0.3 mts size of pit	126.73/- Cum	134.97/-Cum	-	
7	<b>Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in Hard soils like gravel, moram.,</b>					
	<b>Category-I</b>					
	a	Contour bunding/Earthen bunding		92.92/- Cum	98.96/- Cum	-
		Breaking of clods, tamping & sectioning for earthen bunding		29.54/- Cum	31.46/- Cum	
	b	Terracing in Hill / slope areas		122.49/- Cum	130.45/-Cum	
	c	Land levelling				
	d	Conservative furrows				
	<b>Category-II</b>					
	a	Mini Percolation Tank/Percolation tank		122.49/- Cum	130.45/- Cum	-
	b	Recharge of dried up open well				
	c	Desilting and Deepening of existing check dams/percolation tanks				
	d	Rockfill dams, Gully control works, Loose boulder structure				
	e	Check Dam/Check wall				
	<b>Category-III</b>					
	a	Boundry Trench		143.63/- Cum	152.97/-Cum	-
	b	Trench - Cum -Bund				
	c	Silo pits				

	d	Compost pit				
	e	Cattle Proof Trenches				
	f	Periphery trench in MI tank				
<b>Category IV</b>						
	a	Formation of approach roads	122.49/-Cum	130.45/- Cum	-	
	b	MI tanks				
	c	Flood Bund				
	d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies				
	e	New Feeder/Field Channel				
	f	Construction of drains				
	g	Closure of abandoned open wells				
<b>Category-V</b>						
	a	Staggered trenches, Continuous Contour trenches	190.10/-Cum	202.46/-Cum	-	
	b	Farm Pond/Dugout pond/Sunken pit				
	c	Water Absorption trench at foot hills				
	d	Digging of new open well				
<b>Category-VI</b>						
<b>Plantation pits</b>						
	a	0.9 mtsX0.9 mtsX0.9 mts size pit	162.64/-Cum	173.21/-Cum	-	
	b	0.6 mts X 0.6 mtsX 0.6 mts size of pit				
	c	0.45 mts X 0.45 mtsX 0.45 mts size of pit				
	d	0.3 mts X 0.3 mtsX 0.3 mts size of pit	143.63/-Cum	152.97/-Cum	-	
<b>8</b>	<b>Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in soils with mixture of gravel, pebble and soft disintegrated rock like shales ordinary gravel, stoney earth and earth mixed with fair sized boulders</b>					
	<b>Category-I</b>					
	a	Contour bunding/Earthen bunding		101.37/-Cum	107.96/-Cum	-
		Breaking of clods, tamping & sectioning for earthen bunding		33.77/-Cum	35.97/-Cum	
	b	Terrasing in Hill / slope areas		135.18/-Cum	143.97/-Cum	
	c	Land levelling				
	d	Conservative furrows				
	<b>Category-II</b>					
	a	Mini Percolation Tank/Percolation tank		135.18/-Cum	143.97/- Cum	-
	b	Recharge of dried up open well				

c	Desilting and Deepening of existing check dams/percolation tanks			
d	Rockfill dams, Gully control works, Loose boulder structure			
e	Check Dam/Check wall			
<b>Category-III</b>				
a	Boundry Trench	152.08/- Cum	161.97/- Cum	-
b	Trench - Cum -Bund			
c	Silo pits			
d	Compost pit			
e	Cattle Proof Trenches			
f	Periphery trench in MI tank			
<b>Category IV</b>				
a	Formation of approach roads	135.18/- Cum	143.97/- Cum	-
b	MI tanks			
c	Flood Bund			
d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies			
e	New Feeder/Field Channel			
f	Construction of drains			
g	Closure of abandoned open wells			
<b>Category-V</b>				
a	Staggered trenches, Continuous Contour trenches	185.88/- Cum	197.96/- Cum	-
b	Farm Pond/Dugout pond/Sunken pit			
c	Water Absorption trench at foot hills			
d	Digging of new open well			
<b>Category-VI</b>				
<b>Plantation pits</b>				
a	0.9 mtsX0.9 mtsX0.9 mts size pit	169.00/-Cum	179.99/-Cum	-
b	0.6 mts X 0.6 mtsX 0.6 mts size of pit			
c	0.45 mts X 0.45 mtsX 0.45 mts size of pit			
d	0.3 mts X 0.3 mtsX 0.3 mts size of pit	152.08/- Cum	161.97/-Cum	-

<b>9</b>	<b>Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in soft disintegrated rock soils ( removable by pick axes and crow bars)</b>				
	<b>Category-I</b>				
	a	Contour bunding/Earthen bunding	190.10/- Cum	202.46/- Cum	-
		Breaking of clods, tamping & sectioning for earthen bunding			
	b	Terracing in Hill / slope areas			
	c	Land levelling			
	d	Conservative furrows			
	<b>Category-II</b>				
	a	Mini Percolation Tank/Percolation tank	190.10/-Cum	202.46/-Cum	-
	b	Recharge of dried up open well			
	c	Desilting and Deepening of existing check dams/percolation tanks			
	d	Rockfill dams, Gully control works, Loose boulder structure			
	e	Check Dam/Check wall			
	<b>Category-III</b>				
	a	Boundry Trench	190.10/-Cum	202.46/-Cum	-
	b	Trench - Cum -Bund			
	c	Silo pits			
	d	Compost pit			
	e	Cattle Proof Trenches			
	f	Periphery trench in MI tank			
	<b>Category-IV</b>				
	a	Staggered trenches, Continuous Contour trenches	211.23/-Cum	224.96/-Cum	-
	b	Farm Pond/Dugout pond/Sunken pit			
	c	Water Absorption trench at foot hills			
	d	Digging of new open well			
	<b>Category V</b>				
a	Formation of approach roads	190.10/-Cum	202.46/-Cum	-	
b	MI tanks				
c	Flood Bund				
d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies				



	e	New Feeder/Field Channel			
	f	Construction of drains			
	g	Closure of abandoned open wells			
10	<b>Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in silt in canals, channels and drains</b>				
	a	Feeder/Field Channel and Irrigation drains upto 1.0 mt depth	73.90/- Cum	78.70/- Cum	-
	b	Renovation of spring channels			
11	<b>Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in sandy soils or loose soils/wet sand not under water</b>				
	a	Land levelling for land development and Flood control Project	55.84/- Cum	59.47/-Cum	-
12	a	Benching with 0.45mx 0.45m size and 0.60mx0.30m size	25.32/-Cum	26.97/-Cum	-
13	<b>Carrying of earth / gravel by head loads – Leads &amp; Lifts</b>				
	a	For every additional Lead of 10 mts over and above initial lead of 10mt	21.10/-Cum	22.47/-Cum	-
	b	For every additional lift of 1mt over and above initial lift of 2mts	21.10/- Cum	22.47/- Cum	-
14	<b>Conveyance of silt , carted earth, stable casing soil and gravel excluding loading and unloading</b>				
	a	up to 1 km	58.50/-Cum	31.50/- Cum	Conveyance charges approved for the F.Y.2014-15 are more than the rates approved in CSSR of Irrigation Dept. The CSSR rates are adopted for this F.Y.2015-16.
	b	2 km	68.25/-Cum	44.10/-Cum	
	c	3 km	78/-Cum	58.90/-Cum	
	d	4km	87.75/-Cum	71.50/-Cum	
	e	5km	104/-Cum	84.10/-Cum	
	f	6km	107/-Cum	96.70/-Cum	
	g	7 km	120/-Cum	109.30/-Cum	
	h	8 km	132/-Cum	121.90/-Cum	
	i	9 km	138/-Cum	134.50/-Cum	
j	10 km	143/-Cum	147.10/-Cum		
15		Labour charges for Spreading of silt unloaded by tractor in the field	20.51/-Cum	21.84/-Cum	-
16		Labour charges for breaking clods, trimming, sectioning and manual compaction using Dimmisa	20.93/-Cum	22.29/-Cum	-

<b>17</b>	<b>Pebble bunding</b>					
	a	Small stone (size more than 40mm) bunding- Labour charges for collecting and putting as bund only.	221.79/- Cum	236.21/-Cum	-	
<b>18</b>	<b>Stone revetment (Un skilled)</b>					
	a	Labour charges for revetment for all type of works	369.65/-Cum	393.68/-Cum	-	
<b>19</b>	<b>Rough Stone Dry Packing &amp; Stone pitching (Unskilled)</b>					
	a	Rock Fill Dam, Stone Checks & Stone outlets – Labour charges for packing only.	211.23/-Cum	224.96/-Cum	-	
	b	Stone Terracing – Labour charges for packing only.	211.23/-Cum	224.96/-Cum	-	
<b>20</b>	<b>Plantation works</b>					
	<b>Category : I</b>					
		a	Survey and demarcation	27.43/- per100 nos	29.21/- per100 nos	-
		b	Alignment and fixing of planting point with 0.45 meters length sticks	79.15/- per100 nos	84.29/- per100 nos	-
		c	0.45 meter sticks preparation and transportation at site.	42.22/- per100 nos	44.96/- per100 nos	-
		d	i) Internal transportation of bag plants to planting points. (5"x9")	42.22/- per100 nos	44.96/- per100 nos	-
			ii) Internal transportation of Avenue Plantation. Tall plants	163.91/- per100 nos	174.56/- per100 nos	-
		e	Refilling of Pits and planting (mxmxm), staking stick			
			i) 0.30 X 0.30 X 0.30 Size pit	0.99/- each	1.05/- each	-
			ii) 0.45 X 0.45 X 0.45 Size pit	3.10/- each	3.30/- each	-
			iii) 0.60 X 0.60 X 0.60 Size pit	6.30/- each	6.71/- each	-
			iv) 0.90 X 0.90 X 0.90 Size pit	9.44/- each	10.05/- each	-
			v) 1.00 X 1.00 X 1.00 Size pit	10.53/- each	11.21/- each	-
		<b>Soil working and weeding</b>				
		<b>Category : I ( 1 M dia and 0.1 m Depth )</b>				
	a	Avenue Plantation	10.53/- each	11.21/- each	-	
	b	Horticulture	10.53/- each	11.21/- each	-	

	<b>Category : II (0.5 M dia and 0.1 m Depth )</b>				
	a	Fore shore plantation	3.10/- each	3.30/- each	-
	b	B.H.Afforestation	3.10/- each	3.30/- each	-
	c	Bio Diesel Plantation & Block plantation	3.10/- each	3.30/- each	-
<b>21</b>	<b>Causality Replacement for</b>				
	a	Reopening of Pits for avenue, Horticulture & Blok Plantations.	10.71/- each	11.41/- each	-
	b	Fore share plantation, Barren Hill Afforestation, Bio-Diesel	5.22/- each	5.56/- each	-
<b>22</b>		Watch & Ward and repair to Fence and soil working of each plant including pruning of branches for plantations raised in common property resource lands and lands of SC/ST/assignees.	169.00/- day	179.99/- day	-
<b>23</b>	<b>Bio Fencing / Brush Wood Fencing for barren hill afforestation.</b>				
	a	Nurseries, block plantation and fore shore plantation including collection, transportation and fixing at site	21.09/- Rmt	22.46/- Rmt	-
	b	Avenue Plantation including collection, transportation and fixing at site (Size of 1 m dia and 1.5 m height)	79.91/- each	85.10/- each	-
	c	Horticulture, for lands of SC-ST & Assignee lands only	2112.40/- acre	2249.71/- acre	-
	d	Horticulture fencing 1 <sup>st</sup> year & 2 <sup>nd</sup> year maintenance SC-ST& Assignee lands only.	528.08/- acre	562.41/- acre	-
<b>24</b>	<b>Deep Ploughing in</b>				
	a	Fallow Land and Hard Gravel soils (Depth not less than 0.3 meters) using ploughing tractors	1396/- acre	1486.74/- acre	-
	b	fallow land in ordinary soils using ploughing tractor depth not less than 0.3 m	1117/- acre	1189.61/- acre	-
	c	Cattle cultivator (Double ploughing) in ordinary soils.	839/- acre	893.54/- acre	-
<b>25</b>		Watering plants of block plantation from the sump constructed (where ever one sump is available per one acre)	2.68/- plant	2.85/- plant	-
<b>26</b>		Watering plants from hand pump/bore well/open well up to distance of 30 mt	3.77/- plant	4.02/- plant	-

27		Watering block plantation from the nearby sources i.e bore well open well or kunta beyond 30 mts distance.	4.70/- plant	5.01/- plant	-
28		Hire charges of tractor mounted water tanker for filling sump	420/- per one trip of 5000 ltrs capacity	447.30/- per one trip of 5000 ltrs capacity	-
29		Sharpening of crowbar	10/- per day	10/- per day	No change
30		Basket Replenishment charges	3/- per day	3/- per day	No change

**J.RAYMOND PETER**  
PRINCIPAL SECRETARY TO GOVERNMENT